

U.S. Patent Application Serial No. **10/533,537**  
Amendment filed April 25, 2007  
Reply to OA dated February 27, 2007

**IN THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

Claim 1. (Currently Amended): A connector housing comprising:

a bottom wall, ceiling wall, pair of side walls and a plurality of partition walls which form a plurality of terminal-receiving chambers for receiving a metal terminal,

wherein a mark is provided on an outer surface of a said wall of the connector housing corresponding to each terminal-receiving chamber, on a surface of said wall flush with an opening of the terminal-receiving chamber and indicates a specified metal terminal to be received by said corresponding terminal-receiving chamber; and each terminal chamber has an inner surface, and a mark is provided on an end of the inner surface, within the terminal chamber, near the opening of the inner surface of the terminal-receiving chamber.

Claim 2. (Canceled)

Claim 3. (Canceled)

U.S. Patent Application Serial No. 10/533,537  
Amendment filed April 25, 2007  
Reply to OA dated February 27, 2007

Claim 4. (Currently Amended): A method of marking a connector housing comprising the steps of:

providing a connector housing having a bottom wall, ceiling wall, pair of ~~said~~ side walls and a plurality of partition walls which form a plurality of terminal-receiving chambers for receiving a metal terminal, each of the terminal-receiving chambers having an inner surface;

forming a mark on a surface of a said wall flush with an opening of the terminal-receiving chambers, corresponding to each terminal-receiving chamber for indicating a specified metal terminal to be received by the mating terminal-receiving chamber corresponding to the mark,

wherein said step of forming the marks is achieved by jetting a specified volume of coloring agent toward the connector housing to deposit the coloring agent on the connector housing, and forming a mark on the inner surface, within the terminal chamber, near an opening of the inner surface of the terminal-receiving chamber.

Claim 5. (Canceled)

Claim 6. (Canceled)

Claim 7. (Currently Amended): A method of inserting a metal terminal into a connector housing comprising the steps of:

providing a connecting housing having a bottom wall, ceiling wall, pair of side walls and a

U.S. Patent Application Serial No. 10/533,537  
Amendment filed April 25, 2007  
Reply to OA dated February 27, 2007

plurality of partition walls which form a plurality of terminal-receiving chambers having an inner surface;

marking a plurality of marks, each of which is provided on an outer surface of a said wall of the connector housing at each terminal-receiving chamber, on a surface of said wall flush with an opening of the terminal-receiving chambers and at an end of the inner surface, within the terminal chamber, near the opening of the inner surface of the terminal-receiving chamber, and indicates a specified metal terminal to be received by the mating terminal-receiving chamber corresponding to the marks; and

inserting the specified metal terminal to the mating terminal-receiving chamber corresponding to the marks through the opening.

Claim 8. (Cancelled)

Claim 9. (Cancelled)